




Access
the
inaccessible®





Access the inaccessible®



Adventure parks are an introduction to the vertical world. By taking on this new perspective, young and old alike can feel challenged, entertained and amazed. Our mission is to provide them with an exceptional experience.

Our equipment for adventure parks is designed so that you can offer your clients the best possible service. It must be durable and practical, and should make your day-to-day routine easier. For your users, ergonomics and comfort are essential.

Our products are designed to meet all these needs.

For staff, discover the new JAG RESCUE KIT with I'D EVAC, which allows easy and rapid evacuation of a person in trouble. The STRATO VENT helmet offers optimal stability and comfort, for use throughout the day. Designed for your clients, the new PANJI harness was designed to be durable, simple to use, and easy to adjust. Its stainless steel DOUBLEBACK buckles and thick webbing provide great strength, for intensive use, even in damp or salty environments.

Find a selection of these specifically targeted products in this new brochure for 2019.

Happy reading.



PANJI

NEW
2019


Simple, adjustable and very durable seat harness with gear loops. PANJI features stainless steel DOUBLEBACK buckles.



STRATO VENT

NEW
2019

Designed for instructors, the STRATO VENT helmet is comfortable, thanks to its CENTERFIT and FLIP&FIT systems, which guarantee that the helmet fits securely on the head.



JAG RESCUE KIT

NEW
2019

Reversible rescue kit with JAG SYSTEM haul kit and I'D EVAC descender.

Contents

Participants	2
Supervisors	12
Rescue	18





2 Participants



Il Gigante - Firenze, Italia © La Roche






Adults

PANGA®

Durable, easy-to-use helmet (pack of 4)

PANGA is a durable, easy-to-use helmet, designed for group and club use. The FLIP&FIT system immediately positions the headband in a low position, to guarantee that the helmet fits securely on the head. The system also protects the headband during storage or transport and allows easy adjustment by the instructor or user. Easy maintenance and optimized product life, thanks to three components - shell, liner and headband - being completely removable and available as replacement parts. Available in three colors and packs of four.



FLIP&FIT system allows immediate placement of the headband in a low position and easy adjustment by the instructor or the user.



Very easy maintenance of helmet, as it has three removable components: shell, liner and harness/headband.

BOREO CLUB

Comfortable helmet with enhanced protection (pack of 4)

BOREO CLUB is a comfortable helmet designed for group activities. The fit and stability on the head make it especially comfortable for prolonged wearing. Thanks to its hybrid construction, the helmet is both low-profile and head-covering. Protection against lateral, frontal and rear impact is enhanced (Petzl's TOP AND SIDE PROTECTION label). It is very easy to clean, thanks to closed-cell comfort foam that does not absorb water or sweat. Available in two sizes and in packs of four.



TOP AND SIDE PROTECTION



Soft headband conforms perfectly to the shape of the head. It folds into the shell for easy storage and transportation.



Closed-cell comfort foam does not absorb perspiration and is easy to clean. Available as replacement parts.



Adults

**NEW
2019****PANJI****Simple, adjustable and very durable harness with gear loops**

Designed for group activities, PANJI is an extremely durable harness with gear loops that is easy to don, adjust and use, facilitating the instructor's routine. The wide connection point and gear loops are designed for excellent compatibility with JOKO lanyards and TRAC pulleys. The identification and marking areas simplify management of the equipment inventory. The stainless steel DOUBLEBACK buckles and thick webbing optimize durability for intensive indoor and outdoor use, even in salty environments.



Excellent grip at webbing ends for tightening the waistbelt and leg loops.



Wide connection point facilitates attachment of several lanyards.



Stainless steel DOUBLEBACK buckles, for optimal durability.

**VERTIGO WIRE-LOCK PARK****Carabiner with reinforced construction for progression lanyard**

The VERTIGO WIRE-LOCK carabiner is designed for use on the ends of JOKO lanyards. Its excellent grip and automatic WIRE-LOCK locking system, with Keylock, facilitate handling when passing intermediate anchors. The reinforced construction of the Keylock system reduces the wear effect of vibrations, and the hard anodization provides greater resistance to damp and salty environments.

**VERTIGO WIRE-LOCK****Carabiner for progression lanyard**

The VERTIGO WIRE-LOCK carabiner is designed for use on the ends of JOKO lanyards. The excellent grip and WIRE-LOCK automatic locking system facilitate handling when passing intermediate anchors. The wide opening and the Keylock system allow the carabiner to be easily connected to the cable. The WIRE-LOCK system also increases the lifetime of the product when used intensively.

**JOKO-Y****Progression lanyard**


Designed for continuous belay while passing intermediate anchors, the JOKO-Y progression lanyard is installed on the harness with a simple lark's head hitch. The plastic sheaths hold the carabiners in position and protect the stitching from abrasion.



TRAC PLUS

Drop-proof pulley for long Tyrolean traverses

The TRAC PLUS pulley has maximum longevity, thanks to the latest bearing technology and to the VERTIGO WIRE-LOCK PARK carabiner. The carabiner is attached to the pulley, making the unit drop-proof, and thus simplifying maneuvers. The clip-on, lockable, optimally shaped cover makes it easy to connect the TRAC PLUS to a pulley lanyard.



Unit is drop-proof thanks to the VERTIGO carabiner attached to the pulley.



Two supports for the progression carabiners allow them to be protected from cable wear.



TRAC

Drop-proof pulley for Tyroleans

The VERTIGO carabiner is attached to the TRAC pulley, making the unit drop-proof, and thus simplifying maneuvers. The clip-on, lockable cover with optimal shape makes it easy to connect the TRAC to a pulley lanyard. The two supports for the progression carabiners protect them from cable wear.



JOKO-I

Pulley lanyard

The JOKO-I pulley lanyard is designed to connect TRAC pulleys to the seat harness. It attaches to the harness with a simple lark's head hitch. The plastic sheath holds the carabiner in position and protects the stitching from abrasion.



Children



PICCHU

Children's helmet with enhanced protection

The PICCHU helmet is designed for children. It is very light and comfortable and constructed for durability. Thanks to its head-covering design, it provides enhanced protection against lateral, frontal and rear impact.



TOP AND SIDE
PROTECTION



SIMBA

Full body adjustable harness for children less than 40 kg

SIMBA is an entirely adjustable full-body harness designed to ensure the safety of a child weighing less than 40 kg.



OUISTITI

Comfortable and versatile full-body harness for children less than 30 kg

Designed for children weighing less than 30 kg, the OUISTITI harness is very comfortable, thanks to its padded structure. It is very easy to put on and adjust, it does not require a connector to be fastened, and the adjustment system is difficult for a child to access. With a front tie-in point and a dorsal attachment point, the harness is suited for group activities.



Additional equipment



Am'D PIN-LOCK

Asymmetrical aluminum carabiner, unlocks with a tool (pack of 10)

The Am'D PIN-LOCK asymmetrical aluminum carabiner is designed for use with groups. It secures the connection of the user thanks to its PIN-LOCK system, which can only be opened by the operator with a specific unlocking tool.



For repeated manipulations: unlocking pin can be installed directly on a glove.



CAPTIV

Connector positioning bar (pack of 10)

CAPTIV is a positioning bar that is compatible with the Am'D PIN-LOCK carabiner. It promotes loading of the carabiner on the major axis, limits the risk of rotation and allows the carabiner to remain integrated with the device or lanyard.



CHEST'AIR

Chest harness for seat harnesses

The CHEST'AIR chest harness transforms the FALCON MOUNTAIN seat harness into a full-body harness. Connects simply to the harness ventral attachment point for rapid installation. It adapts easily to all body types with its DOUBLEBACK self-locking buckles on the shoulder straps and ventral strap.



FALCON MOUNTAIN

Large seat harness

FALCON MOUNTAIN is a comfortable seat harness adapted to larger body types. It has a waistbelt and leg loops that are semi-rigid for comfort and equipped with self-locking DOUBLEBACK buckles for quick and easy adjustment. This seat harness is designed to be converted into a full-body harness when combined with a CHEST'AIR chest harness.



Additional equipment



NEWTON

Large full body harness







Harness for larger builds, with upper and lower straps that are different colors to facilitate donning. The sternal FAST automatic buckle allows the harness to be opened and closed simply and quickly. The shoulder straps and leg loops are equipped with self-locking DOUBLEBACK buckles for quick and easy adjustment.




CARITOOŁ




Detachable equipment carrier for hanging the pulley on the harness



Detachable equipment carrier for hanging the pulley on the harness. Compatible with the slots on most Petzl harnesses and also attaches to webbing waistbelts of other harnesses.





Harness		References	Packaging	Certifications	Weight per unit	Waist size	Leg loops	Torso length	Height
PANJI		C028AA00	1	CE EN 12277 type C, UIAA	480 g	120 cm max	75 cm max	–	–
NEWTON		C73AAA 1	1	CE EN 361, EAC	1050 g	70 - 93 cm	47 - 62 cm	–	165 - 185 cm
		C73AAA 2	1		1080 g	83 - 120 cm	50 - 65 cm	–	175 - 200 cm
FALCON MOUNTAIN		C038CA00	1	CE EN 358, CE EN 813, CE EN 12277 type C, EAC	810 g	70-93 cm	47-62 cm	–	–
		C038CA01	1		840 g	83-120 cm	50-65 cm	–	–
CHEST'AIR		C98A	1	CE EN 361, CE EN 12277 type D	495 g	–	–	–	Chest size: 145 cm max
SIMBA		C65	1	CE EN 12277 type B, UIAA	390 g	–	51 cm max	35 - 60 cm	–
OUISTITI		C068AA00	1	CE EN 12277 type B, UIAA	410 g	58 - 70 cm	32 - 40 cm	-	–



Accessories		Reference	Packaging	Weight per unit	
CARITOOŁ		P42	1	25 g	Note: This tool holder is not PPE.



Helmets		References	Packaging	Certifications	Weight per unit	Color	Head circumference
PANGA		A30AOA	4	CE EN 12492, UIAA	330 g	orange	48 - 61 cm
		A30AWA				white	
		A30ABA				blue	
BOREO CLUB		A042KA00	4	CE EN 12492, UIAA	285 g	blue	48 - 58 cm
		A042KA01			295 g	white	53-61 cm
PICCHU		A49C G	1	CE EN 12492, UIAA, CE EN 1078, CPSC safety standard	310 g	coral	48 - 54 cm
		A49C F				raspberry	

Lanyards		References	Packaging	Certifications	Weight per unit	Length
JOKO-Y		L36YBO 60	10	CE, EAC	120 g	60 cm
		L36YUO 60	1			
		L36YBO 85	10		150 g	85 cm
		L36YUO 85	1			
JOKO-I		L36IBO 30	10	CE, EAC	55 g	30 cm
		L36IUO 30	1			
		L36IBO 45	10		65 g	45 cm
		L36IUO 45	1			
		L36IBO 70	10		80 g	70 cm
		L36IUO 70	1			

Connectors		References	Packaging	Certifications	Weight per unit	Major axis strength	Minor axis strength	Open gate strength	Gate opening
VERTIGO WIRE-LOCK PARK		M040BA00	10	CE EN 12275 types K/B, UIAA	95 g	25 kN	10 kN	8 kN	24 mm
		M040AA00	1						
VERTIGO WIRE-LOCK		M40A WLB	1	CE EN 12275 types K/B	95 g	25 kN	10 kN	8 kN	24 mm
Am'D PIN-LOCK		M34AB PL	10	CE EN 362, CE EN 12275, EAC	80 g	27 kN	8 kN	7 kN	25 mm
CAPTIV		M093AA00	10	-	10 g	-	-	-	-

Pulleys		References	Packaging	Certifications	Weight per unit	Cable/rope diameter
TRAC		P023BA00	10	CE, EAC	400 g	9 - 13 mm
		P023AA00	1			
TRAC PLUS		P024BA00	10	CE, EAC	405 g	9 - 13 mm
		P024AA00	1			





Il Gigante - Firenze, Italia. © La Touche





NEW
2019




STRATO VENT

Lightweight ventilated helmet

The STRATO VENT helmet is very lightweight and comfortable, thanks to its CENTERFIT and FLIP&FIT systems, which guarantee that the helmet fits securely on the head. It ensures excellent impact protection for the head and has large ventilation holes for airflow through the helmet.



The liner is designed in two parts, EPP (expanded polypropylene) and EPS (expanded polystyrene) for reduced weight.



The CENTERFIT feature allows perfect centering of the helmet on the head, thanks to its two side adjustment wheels.



Ventilation holes allow airflow through the helmet.



TOP

Chest harness for seat harness

The TOP chest harness transforms the FALCON seat harness into a full-body harness. The foam shoulder straps are widely spaced to reduce neck chafing. TOP allows for optimal weight distribution over the shoulders and waistbelt.



FALCON

Lightweight and comfortable seat harness

Lightweight seat harness with metal ventral attachment point, to distribute weight between the waistbelt and leg loops. The FALCON features a semi-rigid waistbelt and leg loops for maximum comfort and self-locking DOUBLEBACK buckles for quick and easy adjustment. The rear buckle allows a TOP chest harness to be installed.





PROGRESS ADJUST-I

Single adjustable progression lanyard

PROGRESS ADJUST-I is a single adjustable progression lanyard designed for connection to an anchor point. In conjunction with another lanyard, it provides continuous protection when moving around and passing intermediate anchors, or on a lifeline. Thanks to the ADJUST rope adjuster, the length can be quickly and easily adjusted. The connector is held in the correct position for easy clipping.



PROGRESS ADJUST

Double adjustable progression lanyard

PROGRESS ADJUST is a double adjustable progression lanyard designed for continuous protection when moving around. Thanks to the ADJUST rope adjuster, the length of the adjustable arm can be quickly and easily adjusted. The connectors are held in the correct position for ease of clipping.



RING OPEN

Multidirectional gated ring

The RING OPEN gated ring is designed for the semi-permanent connection of different products. Its round shape ensures optimal functioning in all directions.



GRADISTEP

Etrier to assist persons in difficulty

GRADISTEP is an etrier that assists persons in difficulty. Its reinforced steps are wear resistant. It becomes very compact when stored in its pouch.



Additional equipment



CORDEX

Lightweight gloves

These lightweight gloves combine durability with the precise fit and of a thinner glove. Double-layered leather protects the palm and other high-wear areas. The back is made of abrasion-resistant, breathable stretch nylon, ensuring comfort and ventilation. The low profile neoprene cuff with Velcro closure features a reinforced carabiner hole for attaching the gloves to your harness.



CORDEX PLUS

Gloves

These gloves offer maximum protection. Double-layer leather and padding protect the palm from heated surfaces. Fingertips and other high-wear areas are reinforced for increased durability. The back is made of leather with abrasion-resistant stretch nylon at key flex areas. The low profile neoprene cuff with Velcro closure features a reinforced carabiner hole for attaching the gloves to your harness.



SPATHA

Knife with carabiner hole

The SPATHA knife is designed to always be with the monitor. The profile of the blade allows easy cutting of ropes and cords. It has a carabiner hole for easily attaching the knife to the harness. It is easy to manipulate with its textured wheel, even when wearing gloves, and can be locked in the open position.



Additional equipment



TRANSPORT 45L

Durable large-capacity bag

The TRANSPORT is an especially comfortable and durable 45 liter backpack. It is made of PVC-free material, and its welded construction provides great strength. It is ideal for long-distance carries with its padded back panel, waistbelt and shoulder straps.



BUCKET


Fabric pack, remains upright




Durable and practical, the BUCKET bag allows the user to very easily store a rope and all associated gear. It is rigid and stays upright even when empty. It is available in two colors and two versions: 25 and 35 liters.





Canyon Park - Bagni de Lucca, Italia. © Lafouche




Helmets	References	Packaging	Certifications	Weight	Color	Head circumference
STRATO VENT 	A020BA00	1	CE, EN 12492, ANSI Z89.1 Type I Class C, EAC	415 g	white	53 - 63 cm
	A020BA01				yellow	
	A020BA02				red	
	A020BA03				black	

Lanyards	References	Packaging	Certifications	Weight	Color	Size
PROGRESS ADJUST-I 	L44IR	1	CE EN 358, EAC	175	-	Length: up to 95 cm
PROGRESS ADJUST 	L44R	1	CE EN 358, EAC	245	-	Length: fixed arm: 65 cm, adjustable arm: up to 95 cm
RING OPEN 	P28	1	CE EN 362	70 g	-	-

Harness	References	Packaging	Certifications	Weight	Waist size	Leg loops	Height
TOP 	C081AA00	1	CE EN 361 (with FALCON seat harness), EAC	660 g	-	-	160 - 200 cm
FALCON 	C038AA00	1	CE EN 358, CE EN 813, EAC	840 g	65 - 80 cm	44 - 59 cm	-
	C038AA01			855 g	70 - 93 cm	47 - 62 cm	
	C038AA02			855 g	83 - 130 cm	50 - 65 cm	

Accessories	References	Packaging	Certifications	Weight	Color	Size
CORDEX 	K52 XST	1	CE EN 420, CE EN 388 (3133)	100 g	tan	XS
	K52 SN			105 g	black	S
	K52 ST				tan	
	K52 MN			115 g	black	M
	K52 MT				tan	
	K52 LN			118 g	black	L
	K52 LT				tan	
	K52 XLN			120 g	black	XL
	K52 XLT				tan	
CORDEX PLUS 	K53 XST	1	CE EN 420, CE EN 388 (3133)	132 g	tan	XS
	K53 SN			136 g	black	S
	K53 ST				tan	
	K53 MN			140 g	black	M
	K53 MT				tan	
	K53 LN			146 g	black	L
	K53 LT				tan	
	K53 XLN			152 g	black	XL
	K53 XLT				tan	
SPATHA 	S92AN	1	-	43 g	-	-
GRADISTEP 	C08	1	-	146 g	-	-
TRANSPORT 45L 	S42Y 045	1	45 liters	1250g	yellow/black	-
BUCKET 	S41AY 025	1	25 liters	575 g	yellow/black	-
	S41AY 035		35 liters	680 g	yellow/black	-
	S41AR 025		25 liters	575 g	red/black	-
	S41AR 035		35 liters	680 g	red/black	-



NEW
2019

JAG RESCUE KIT

Reversible rescue kit with JAG SYSTEM haul kit and I'D EVAC descender

The JAG RESCUE KIT is a ready-to-use reversible rescue kit designed to easily pick off and lower a victim. It contains a JAG SYSTEM haul kit, a RING OPEN gated ring, an I'D EVAC descender with integrated brake, a CONNEXION FIXE 150 cm anchor strap, a BUCKET bag and an AXIS 11 mm rope with two sewn terminations. It is available in three lengths: 30, 60 and 120 m.



JAG SYSTEM



RING OPEN



I'D EVAC



CONNEXION FIXE



AXIS 11 mm



BUCKET

	References	Length	Packaging	Weight	Maximum working load
JAG RESCUE KIT	K090AA00	30 m	1	4300 g	250 kg
	K090AA01	60 m		6600 g	
	K090AA02	120 m		11300 g	




NEW
2019




I'D® S

Self-braking descender with anti-panic function

The I'D S self-braking descender has an ergonomic handle that allows comfortable descent control. The integrated anti-panic function and anti-error catch limit the risk of an accident due to user error. The AUTO-LOCK system allows users to easily position themselves at the work station without having to manipulate the handle or tie off the device. Once locked, the rope can be taken up without having to manipulate the handle. The safety gate allows the rope to be installed with the device remaining connected to the harness. I'D S is compatible with 10 to 11.5 mm ropes and allows handling of loads up to 250 kg.



The anti-panic function automatically stops the descent if the user pulls too hard on the handle.



The AUTO-LOCK system allows users to easily position themselves at a work station without having to manipulate the handle or tie off the device: as soon as the user releases the handle, the rope is automatically locked in the device.

	References	Packaging	Certifications	Weight per unit	Rope diameter
I'D S	D020AA00	1	EN 341 type 2 class A, CE EN 12841 type C, CE EN 15151-1, ANSI Z359.4, NFPA 1983 Technical Use, EAC	600 g	10 - 11.5 mm



AXIS 11 mm with sewn termination

11 mm low stretch kernmantel rope with sewn termination

The AXIS 11 mm low stretch kernmantel rope with sewn termination is highly abrasion-resistant. The sewn termination with protective sheath helps keep the connector in position and facilitates handling.

	References	Length	Packaging	Certifications	Weight per meter	Color	Diameter	Strength with sewn termination	Shock load (factor 0.3)	Number of falls (fall factor 1)
AXIS 11 mm with sewn termination	R074BA00	10 m	1	CE EN 1891 type A, EAC, NFPA 1983 Technical Use	82 g	white	11 mm	22 kN	5.2 kN	12
	R074BA01	20 m								
	R074BA02	30 m								
	R074BA03	40 m								
	R074BA04	50 m								
	R074BA05	60 m								



Access the inaccessible[®]



To discover the complete Petzl offer, go to:

www.petzl-parks.com

> Photos : Canyon Park - Bagni de Lucca, Italia. © Lafouche
Product photos : Kalice - www.kalice.fr et Aurélie Jeannette photographe

The activities depicted are inherently dangerous. All users must be trained and competent in the use of the equipment for these activities.

Z014AC01
ENGLISH

PETZL.COM